# **Roborock Q10 Series**

# **Robotic Vacuum Cleaner User Manual**

Read this user manual with diagrams carefully before using this product and store it properly for future reference.



English	002	Contents
Français	013	003 Safety Information
Deutsch	026	004 International Symbols Explanation
Italiano	039	004 Low Power Mode
Español	052	005 Product Overview
•		006 Installation
Norsk	065	007 Connecting to the App
Svenska	076	007 Instructions for Use
Polski	087	008 Routine Maintenance
Nederlands	100	010 Basic Parameters
Português	113	010 EU Declaration of Conformity
		011 Common Issues
Suomi	125	

# **Safety Information**

### Restrictions

### WARNING

- For the purposes of recharging the battery, only use with roborock AED09HRR or SPCDZ04RR (use with roborock BLJ24WJ200120P-V, BLJ24WJ200120P-S, or BLJ24WJ200120P-B power supply) docking station.
- The product must be switched off and the plug must be removed from socket outlet before cleaning or maintaining the product.
- In order to avoid a hazard due to inadvertent resetting of the thermal cut-out, this appliance must not be supplied through an external switching device, such as a timer, or connected to a circuit that is regularly switched on and off by the utility.
- The docking station can only be used to charge the robotic vacuum cleaner equipped with a 14.4 V/5200 mAh (TYP) lithium-ion battery.

### CAUTION

- Only use the product in accordance with the User Manual. Any loss or damage caused by improper use will be borne by the user.
- Do not allow to be used as a toy. Close attention is necessary when used by or near children.
- Make sure dustbin, washable filter, dust bag, side brush, mop cloth, main brush and main brush cover are installed in place before cleaning.
- Do not use the product to clean hard or sharp objects (such as decoration wastes, glass, and nails) to avoid scratching the robot, the dock or the floor.
- Do not sit or stand on the robot or dock.
- To prevent corrosion or damage, do not use any disinfectant and only use cleaning solution recommended by Roborock.
- Do not put any low objects (such as shoes, mats) near raised areas like stairs. Otherwise, the robot may fall down caused by malfunctional sensors.
- To prevent water damage, make sure that the floor where the robot operates is free of water.
- Do not use this product on elevated surfaces without barriers such as the floor of a loft, an open-ended terrace, a slide, or top of furniture.
- Keep hair, loose clothing, fingers, and all body parts of people and pets away from seams, openings and moving parts of the product to avoid possible injury.
- Do not operate the product in a room where an infant or child is sleeping.
- Do not carry the robot using vertical bumper, side brush or bumper. Do not move the dock by lifting dust container cover.
- Do not use the dock to pick up stones, paper scraps, or other objects that may block the air duct.
- Do not use the robot or dock to vacuum any burning or smoking items such as cigarettes, matches, hot ashes, or any flammable or explosive items such as lighters, gasoline, or toner used in printers or copiers.
- Place the dock on a hard, flat floor. Keep the dock, robot, and power cord away from fire and heat sources like a heating radiator. Avoid humid and narrow spaces or locations where the robot may be suspended in the air.
- Do not place any object on top of the robot or dock, near the suction inlet of the dock, or cover them/it with any item (including dust-proof cover).

003

- Do not operate the product if it has been damaged in any way. Contact customer service for help.
- Always operate the device in well-ventilated areas to prevent overheating.
- Roborock disclaims all liability for indirect, punitive, incidental, or consequential damages resulting from the use, misuse, or inability to use this product. This disclaimer does not affect any statutory rights that may not be disclaimed under applicable law.
- Do not rinse the robot and the dock.

# **Battery and Charging**

### WARNING

- Be sure that the supply voltage meets the requirements listed on the dock.
- To prevent potential smoke, heat, or fire, only use the battery, charger, power cord, dock, and other accessories provided with the product.
- Do not use the product with any type of power adapter, as this may cause danger and void the warranty.
- Do not discard waste batteries. Leave them with a professional recycling organization.
- If the dock is placed in an area susceptible to thunderstorms or with unstable voltage, take protection measures.
- If the product is left unused for a long period, store it in a cool, dry place after having it fully charged, unplugged, and switched off. Recharge it at least every three months to avoid battery overdischarge.
- To transport the product, be sure to unplug the dock, switch off the robot, and empty the water tank. Use of the original packaging is advised.

# **International Symbols Explanation**



For indoor use only.

# **Low Power Mode**

When the robot is docked, press and hold 0 and 0 for 3 seconds simultaneously to reset WiFi and wait for at least 10 minutes. Two minutes after the robot is fully charged, the robot will activate Low Power Mode with indicator lights off. To deactivate Low Power mode, press the 0.

# **A** Product Overview

# (Top View)



### -Power/Clean

- Press and hold to turn the robot on or off
- · Press to start cleaning

### -Power Indicator Light

- White: Battery level ≥ 15%
- Red: Battery level < 15%
- Breathing: Charging or starting up
- Flashing red guickly: Error
- Flashing blue slowly: Waiting for WiFi connection
- Flashing blue quickly: Connecting
- Steady blue: WiFi connected



### —Dock

• Press to start docking

**Note:** Press any button to pause a running robot during cleaning or docking.

A1-1—Vertical Bumper

A1-2—LiDAR Sensor

A1-3—Reactive Tech Obstacle Avoidance Sensor

A1-4—Dock Locator

# A2 Robot (Bottom View)

A2-1—Cliff Sensors

A2-2—Omnidirectional Wheel

A2-3—Carpet Sensor

A2-4—Side Brush

A2-5-Main Brush

A2-6—Main Brush Cover Latches

A2-7—Main Wheels

# Robot (Top Cover Removed)

A3-1—Top Cover

A3-2—Dustbin and Water Tank Combo

A3-3—Charging Contacts

A3-4—VibraRise Module

A3-5—Air Outlets

A3-6—Reset Button

A3-7—Bumper

# **M** VibraRise Module

A4-1—Mop Cloth Attachment Slot

A4-2—Vibration Module

A4-3—VibraRise Mop Cloth Mount

A4-4—VibraRise Mop Cloth Mount Latches

# (A5) VibraRise Mop Cloth

A5-1—Hook and Loop Pads

Note: Secure the mop cloth flat in place.

# **A6** Power Cord

### Moisture-Proof Mat

A7-1—Moisture-Proof Mat Adhesive Tape

# **As** Disposable Dust Bag

# Dustbin and Water Tank Combo Unit

A9-1—Dustbin and Water Tank Combo

A9-2—Dustbin Lid

A9-3—Cover Latch

A9-4—Water Tank Stopper

A9-5—Filter Handle

A9-6-Washable Filter

A9-7—Suction Inlet

A9-8—Dust Inlet

# **M** Auto-Empty Dock

A10-1—Suction Inlet

A10-2—Charging Contacts

A10-3—Dock Location Beacon

A10-4—Dust Container Cover

A10-5—Status Indicator Light
• Steady white: Powered on and

robot not on the dock
• Flashing white slowly: Emptying

Standy rod: Dust hag is not in

• Steady red: Dust bag is not in place

• Off: Not Powered On/Charging

A10-6—Filter

A10-7—Dust Bag Slot

# **M** Auto-Empty Dock (Back View)

A11-1—Power Cord Storage Slot


A11-2—Power Port


A11-3—Cord Outlets

Note: Power cord can exit at either side.

# **B** Installation

# **Important Information**





 Tidy cords, hard or sharp objects (such as nails and glass), and loose items from the ground and move any unstable, fragile, precious, or dangerous items to prevent personal injury or property damage due to items becoming tangled in, struck by, or knocked over by the robot.  When using the robot in a raised area (such as in a duplex apartment), always use a physical security barrier to prevent accidental falls that may result in personal injury or property damage.

#### Notes:

- When using the robot for the first time, follow it throughout its whole cleaning route and watch for potential problems. The robot will be able to clean by itself in future uses.
- To prevent excessive buildup of dirt on the mop cloth, floors should be vacuumed at least three times before the first mopping cycle.

# **11** Positioning the Dock

Place the dock on a hard, flat floor, flat against a wall. Connect the power cord with the dock and tidy up the excess cord. Make sure that the location has good WiFi coverage for a better experience with the mobile app. Plug in and make sure that the status indicator light is on.

### B1-1—More than 0.5 m (1.6 ft) B1-2—More than 1.0 m (3.3 ft)

### Notes:

- Keep at least 0.5 m (1.6 ft) of clearance on either side, 1.0 m (3.3 ft) in front.
- If the power cord hangs vertically to the ground, it may be caught by the robot, causing the dock to be moved or disconnected.
- Keep the dock away from direct sunlight or anything that may block the dock location beacon, otherwise the robot may fail to return to the dock.

### **B2** Attach the Moisture-Proof Mat

After fixing the dock in place, use a dry cloth to clean the area where the moisture-proof

mat will be located. Tear off the doublesided tape at the bottom of the moistureproof mat, and stick the mat on the floor.

### Notes:

- Always place the moisture-proof mat on wooden floors
- When necessary, remove the double-sided adhesive tape slowly to reduce residue glue.
- The moisture-proof mat attaches best to smooth surfaces.

# BB Powering On & Charging

Before using, be sure to remove the film on the dock locators on the front of and at the rear of the robot. Press and hold () to power on the robot. Wait until the power indicator light is steady white, and then place the robot to the dock. The robot is equipped with a built-in highperformance lithium-ion rechargeable battery pack. To maintain battery performance, keep the robot charged.

# B3-1—Power Indicator Light

### Notes:

- The robot may not be turned on when the battery is low. In this case, place the robot to the dock for charging.
- The robot cannot be turned off when it is being charged.

# **B4** Starting Mopping

**Note:** To prevent excessive buildup of dirt on the mop cloth, floors should be vacuumed at least three times before the first mopping cycle.

- B4-1—Remove the dustbin and water tank combo unit, open the water tank stopper, and fill the water tank with tap water before reinstalling the stopper. Do not immerse the unit into the water directly.
- B4-2—Dampen the mop cloth and wring it until it stops dripping. Insert the mop to the bottom of the mop cloth attachment slot and stick it firmly.
- **B4-3**—Align the mop cloth mount with the bottom of the combo unit and slide it in until it clicks into place.
- B4-4—After the robot finishes cleaning and returns to the dock, press two latches of the mop cloth mount inwards with both hands and pull backwards to remove the mop cloth mount.

#### Notes:

- . To avoid deformation, only use cold water.
- Do not rinse or immerse the dustbin and water tank combo unit with water.
- To prevent damage, do not use any disinfectant and only use cleaning solution recommended by Roborock
- Dampen the mop cloth and wring it until it stops dripping. Install the mop onto the mop cloth mount and stick it flat in place. After mopping, empty the water tank of unused water immediately.
- All combo units are subject to water-based tests before leaving the factory. It is normal that a small amount of water remains in the unit.

# **Connecting to the App**

# 1. Download the App

Search for "Roborock" in the App Store or Google Play or scan the QR code to download and install the app.



### 2. Reset WiFi

Press and hold ⊕ and △ simultaneously until you hear the "Entering network configuration mode" voice message. The reset is complete when the power indicator light flashes blue slowly. The robot will then wait for a connection.

**Note:** If you cannot connect to the robot due to your router configuration, a forgotten password, or any other reason, reset the WiFi and add your robot as a new device.

### 3. Add Device

Open the Roborock app, tap the "Add Device" or "+" button and add your device following the in-app guide.

#### Notes:

- The actual process may vary due to ongoing app updates. Follow the guide provided in the app.
- Only 2.4 GHz WiFi is supported.
- If the robot stays in network setup for more than 5 minutes, the setup will be stopped automatically.

# **Instructions for Use**

# **Turning On/Off**

Press and hold () to turn on the robot. The power indicator light will come on, and the robot will wait for orders.

Press and hold  $\mathop{\mbox{$\circlearrowleft$}}$  to turn off the robot and complete the cleaning cycle.

**Note:** The robot cannot be turned off when it is being charged.

# **Starting Cleaning**

Press () to start cleaning. The robot will plan its cleaning route and in each room, it firstly draws out edges and then fills the room in a zigzag pattern. In so doing, the robot cleans all rooms one by one, thoroughly and efficiently.

#### Notes:

- Before cleaning, tidy cords (including the power cord of the dock) and valuables from the floor. Loose items may be dragged by the robot, resulting in the disconnection of electrical appliances or damage of cords and property.
- Before starting each cleaning task, make sure that the mop cloth have been properly installed.
- To make sure the robot returns to the dock automatically, start the robot from the dock and do not move the dock during cleaning.
- Cleaning cannot start if the battery level is too low. Allow the robot to charge before starting a cleanup.
- If the battery runs low during a cleaning cycle, the robot will automatically return to the dock. After charqing, the robot will resume where it left off.
- The robot will retract mop cloth mount to clean the carpet. You can also set the carpet as a no-go zone in the app to avoid it.

# Mop Only

Use app to start mopping only. The main brush and fan reduce their operating speed, and the mopping module lowers itself.

**Note:** Compared with other cleaning modes, noise emanating from Mop Only is much lower.

### **Pause**

When the robot is running, press any button to pause it, press () to resume cleaning. Press () on a paused robot to send it back to the dock for charging.

Note: Placing a paused robot on the dock manually will end the current cleanup.

# Sleep

If the robot is paused for over 10 minutes, it will go to sleep, and the power indicator light will flash every few seconds. Press any button to wake the robot up.

#### Notes:

- . The robot will not go to sleep when it is charging.
- The robot will automatically shut down if left sleep for more than 12 hours.

# **Emptying**

After cleaning, the robot will return to the dock and auto-emptying will begin as needed. To manually start emptying, press  $\triangle$  on the docked robot or tap the corresponding button in the app.

#### Notes:

- When emptying has been left unused for a long period, empty the dustbin manually and make sure the air inlet is clear for optimal emptying performance.
- · Auto-emptying can be disabled in the app.
- Avoid frequent manual emptying.

# Charging

After cleaning, the robot will automatically return to the dock to charge. Press △ to send the paused robot back to the dock. The power indicator light will breathe during robot charging.

**Note:** If the robot fails to find the dock, it will automatically return to its starting position. Place the robot on the dock manually to recharge.

### Error

If an error occurs, the power indicator light will flash red or status indicator light will be steady red. A pop-up notification will appear in the app and a voice alert may sound.

#### Notes:

- The robot will go to sleep automatically if left in a malfunctioning state for over 10 minutes.
- Placing a malfunctioning robot on the dock manually will end the current cleanup.

### **DND Mode**

The default Do Not Disturb (DND) period is from 22:00 to 08:00. You can use the app to disable the DND mode or modify the DND period, or set whether to enable auto top-up, emptying and drying, to dim indicator lights, or lower the volume of the voice message during the DND period.

# Resetting the System

If the robot does not respond when a button is pressed or cannot be turned off, reset the system by pressing the Reset button.

**Note:** After resetting the system, existing settings such as scheduled cleaning and WiFi will be restored to factory settings.

# **Deactivating WiFi**

To disconnect the robot from WiFi, reset WiFi and ensure the reset is successful. Then wait for 5 minutes and the WiFi will be automatically deactivated. If you want to reconnect, please follow the related connecting instructions.

# **Restoring Factory Settings**

If the robot does not function properly after a system reset, power it on. Press and hold and at the same time, press the Reset button until you hear the "Restoring factory settings. This will take about 5 minutes." voice message. The robot will then be restored to factory settings.

# **©** Routine Maintenance

#### Notes:

- The product must be switched off and the plug must be removed from socket outlet before cleaning or maintaining the product.
- The frequency of replacement may vary with the actual situation. If abnormal wear occurs, replace the parts immediately.

### Main Brush

- \* Clean every 2 weeks and replace every 6-12 months.
- C1-1—Main Brush
- C1-2—Main Brush Bearing
- C1-3—Main Brush Cover
- C1-4—Main Brush Cover Latches
- C1-5—Hair-Blocking Rings

- C1-6—Turn over the robot and press the two latches inwards to remove the main brush cover.
- C1-7—Pull out the main brush and remove the main brush bearing on the left as shown in the picture. Remove any entangled hair or dirt at both ends of the main brush. Then, reinstall the main brush bearing.
- C1-8—Reinstall the main brush and main brush cover, and press the cover securely.

#### Notes:

- It is recommended to wipe the main brush with a wet cloth. If the main brush is soaked, air-dry it away from direct sunlight.
- Do not use corrosive cleaning fluid or disinfectant to clean the main brush.

# Side Brush

- \* Clean monthly and replace every 3-6 months.
- 1. Unscrew the side brush screw. Remove and clean the side brush.
- 2. Then, reinstall the brush and tighten the screw.

# **©** Omnidirectional Wheel

- \* Clean as required.
- C3-1—Use a tool, such as a small screwdriver, to pry out the axle and take out the wheel.

Note: The omnidirectional wheel bracket cannot be removed.

C3-2—Rinse the wheel and the axle with water to remove any hair and dirt.

Air-dry, reinstall, and press the wheel and axle back in place.

### Main Wheels

\* Clean as required.

Clean the main wheels with a soft, dry cloth.

# Oustbin and Water Tank Combo Unit

- \* Clean as required.
- **C5-1**—Open the top cover of the robot and take out the unit.
- C5-2—Open the dustbin lid and remove the washable filter, then empty and clean the dustbin.
- **C5-3**—Open the water tank stopper, and empty the tank of unused water.
- C5-4—Reinstall the unit in the robot.

**Note:** After mopping, empty the water tank, wash the mop cloth, and air-dry them to prevent odors.

### **66** Washable Filter

- $\ensuremath{^{\star}}$  Clean every 2 weeks and replace every 6-12 months.
- **C6-1**—Open the dustbin lid and take out the filter.
- **C6-2**—Rinse the filter repeatedly and tap it to remove as much dirt as possible.

**Note:** Do not touch the surface of the filter with hands, brushes, or sharp objects to avoid potential damage.

**C6-3**—Allow at least 24 hours for the filter to dry thoroughly before reinstalling it.

# WibraRise Mop Cloth

- \* Clean after each use and replace every 3-6 months.
- **C7-1** Hold the mop cloth mount by both ends to remove it.

- **C7-2** Remove the mop cloth from the mount.
- C7-3— Wash the mop cloth and then air-dry it.

# Robot Sensors

\* Clean as required.

Use a soft, dry cloth to wipe and clean all sensors, including:

- C8-1—Dock Locator
- C8-2—Reactive Tech Obstacle Avoidance Sensor
- C8-3—Carpet Sensor
- C8-4—Cliff Sensors

# Charging Contacts

\* Clean as required.

Use a soft, dry cloth to wipe the charging contacts on the robot and the dock.

# Moving the Dock

To move the dock, grip from the bottom of the dock as shown in the picture.

# Auto-Empty Dock

- \* Replace dust bag immediately when the bag is full to ensure emptying performance.
- C11-1—Open the dock cover, lift the dust bag out of the dustbin and discard it.
- C11-2—Clean the filter with a dry cloth.
- C11-3—Install a new dust bag in place and close the dock cover.

**Note:** Make sure the dust bag is installed in place along the slot to prevent dust leakage and damage the dock.

C11-4—Wipe the dock location beacon and charging contacts with a soft, dry cloth to keep them clean.

# **Basic Parameters**

### Robot

Model	RRAOTAL
Battery	14.4 V/5200 mAh (TYP) lithium-ion battery
Rated Input	20 VDC 1.2 A

# **Auto-Empty Dock**

Model	AED09HRR
Rated Input Voltage	220-240 VAC
Rated Frequency	50/60 Hz
Rated Input (Dust collection)	3 A
Rated Input (Charge)	0.3 A
Rated Output	20 VDC 1.2 A

**Note:** The serial number is on a sticker on the underside of the robot.

# **EU Declaration of Conformity**

Hereby, Beijing Roborock Technology Co., Ltd. declares that the radio equipment type RRAOTAL is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: https://global.roborock.com/pages/ compliance

# **Common Issues**

Issues	Solution
Unable to power on	<ul> <li>Battery low. Put the robot on the dock and charge it before use.</li> <li>Battery temperature too low or too high. Only use the robot within the range of 4-40°C (39-104°F).</li> </ul>
Unable to charge	<ul> <li>Dock not connected to power. Check whether both ends of the power cord are properly connected.</li> <li>Poor contact. Clean the charging contacts of the dock and the robot.</li> <li>Battery temperature too low or too high. Only use the robot within the range of 4-40°C (39-104°F).</li> </ul>
Unable to return to dock	<ul> <li>Too many obstacles near the dock. Clear them up or move the dock to an open area.</li> <li>Robot too far from the dock. Place it closer and retry.</li> </ul>
Abnormal behavior	• Restart the robot.
Unable to connect to WiFi	<ul> <li>WiFi disabled. Reset the WiFi and try again.</li> <li>Poor WiFi signal. Move the robot to an area with better WiFi.</li> <li>Abnormal WiFi connection. Reset the WiFi, download the latest app version and retry.</li> <li>Unable to connect to WiFi abruptly. There may be an error with your router settings. Contact Roborock customer service for help with troubleshooting.</li> </ul>
Robot becomes offline	Check that your robot is connected to Roborock app and is always within WiFi coverage.
Noise during cleaning	<ul> <li>The main brush, side brush, or main wheels may be jammed. Turn off the robot and clean them.</li> <li>The omnidirectional wheel may be jammed. Use a screwdriver to remove it for cleaning.</li> <li>Check that no objects are stuck around the mopping module.</li> </ul>
Poor cleaning performance and/or dust leakage	The dustbin is full and needs emptying. The filter is blocked and needs cleaning. The main brush are tangled up. Clean the main brush.
Scheduled cleaning is not working	Keep the robot charged. Scheduled cleaning can only begin when the battery level is above 15%.
The robot does not resume cleaning after recharging	<ul> <li>Make sure that the robot is not in DND mode. DND mode will prevent auto top-up.</li> <li>If the robot is placed manually on the dock or sent to dock by pressing buttons, it will not be able to resume cleaning.</li> </ul>
Slow charging	<ul> <li>When used at high or low temperatures, the robot will automatically reduce its charging speed to extend battery life.</li> <li>Charging contacts dirty. Wipe them with a soft, dry cloth.</li> </ul>

Issues	Solution
Is power always being drawn when the robot is on the dock?	The robot will draw power while it is docked to maintain battery performance, but the power consumption is extremely low.
Does the robot need to be charged for at least 16 hours for the first three uses?	No. Lithium-ion batteries have no memory effect. The robot can be used once fully charged.
The robot begins to miss certain spots	The cliff sensors or carpet sensor may be dirty. Clean them with a soft, dry cloth.
No or little water during mopping	<ul> <li>Use the mobile app to increase the water flow.</li> <li>Check whether there is water in the water tank and check the manual for instructions on how to correctly install the dustbin and water tank combo unit, mop cloth mount and mop cloth.</li> </ul>
The robot cannot return to the auto-empty dock after spot cleaning or when it has been moved manually	• After spot cleaning or a significant position change, the robot will re-generate the map. If the charging dock is too far away, it may not be able to return to recharge and must be placed on the charging dock manually.
The status indicator light is steady red	The dust bag is not in place. Check and install in place.
Reduced emptying performance or unusual noise when emptying	The main brush or main brush cover is not properly installed. Check and install in place. The filter, air duct, disposable dust bag, suction inlet, air inlet, or dustbin is blocked. Clean to remove blockages.
Unable to auto-empty	<ul> <li>Auto-emptying is disabled. Check in-app settings.</li> <li>The dust container cover is not installed. Check and install.</li> <li>Auto-emptying will not be triggered if the robot returns to the dock without cleaning.</li> <li>The robot will not auto-empty after returning to the dock in DND mode. Adjust the cleaning time or DND period.</li> </ul>